MCQS (ATN)

1) All the followings are NOT true for Acute tubular necrosis (ATN) EXCEPT:

a) it is associated with hemolytic conditions.

b) Toxic ATN Occur mostly in distal collecting tubules.

c) Is associated with hyperkalemia in the recovery phase.

d) Is associated with metabolic alkalosis.

2) In ischemic acute tubular necrosis ,the following holds true EXCEPT:

a) There is dilatation of proximal and distal convoluted tubules.

b) There is disruption of tubular basement membrane.

c) There is diffuse tubular necrosis.

d) Tubular lumina contain casts.

3) All are microscopic features of ischemic acute tubular necrosis EXCEPT:

a) Hyaline casts

b) Distal tubular necrosis

c) Proximal tubular necrosis

d) Ruptured tubular basement membrane

4) All are features of ATN in recovery phase except

a) Polyuria

b) Azotemia

c) Hypokalemia

d) Hyperkalemia

5) All the following are causes of ischemic ATN except

a) Burns

b) Blood incompatibility

c) Contrast media

d) Shock

6) PCT may be affected in which of the following

a) Ischemic ATN

b) Toxic ATN

c) Both

d) None

7) Hyaline casts present on except

a) Ischemic ATN

b) Toxic ATN

c) Glomerulonephritis

d) None of the above

8) Ischemic ATN is characterized by all except

a) Enlarged kidney with pale cortex

b) Distal tubular damage

c) BM is intact

d) Worse prognosis

Answers

1	A
2	C
3	C
4	D
5	C
6	B
7	B
8	C