

الكويز الثاني لمادة الاسعافات الأولية

العودة

: All of the following are true except

- a. ☐ Constantly check for signs of shock
- b. ☐ DO NOT bandage too tightly
- c. ☒ apply ice on the wounds
- d. ☐ Give oxygen if possible
- e. ☐ DO NOT remove the previous layer of bandage

إلى 1

محتاج عليه

من 1.00

عليه هذا

إلى

: about amputated wounds, all are true except

a. ☐ Dont Scrub amputated part

b. ☒ Decide whether a body part is salvageable or not

c. ☐ Dont Cut any part even too small from the amputee part

d. ☐ Dont Wrap amputated part in a wet dressing

e. ☐ Dont Put ice directly on the part

سؤال 2

غير محاسب عليه

100

الدرجة من 1.00

3 علم هذا

السؤال

اكتب هنا الجواب

إختبار

الكويز الثاني لمادة الاسعافات الأولية



العودة

The most usefull antiseptic material used to clean wounds

a ☐ all of the above

b ☐ polidine

c ☒ water

d ☐ H2o2

e ☐ alcohol

سؤال 3

غير مجاب عليه
بعد

الدرجة من 1.00

أعلم هذا
السؤال

: All are signs and symptoms of shock , except

- a ☐ Nausea or vomiting
- b ☐ Deteriorating level of consciousness
- c ☐ Pale, cool, sweaty skin
- d ☒ Rapid, deep breathing
- e ☐ Rapid or weak pulse

سؤال 4

غير محاب عليه
بعد

الدرجة من 1.00

٣ عليم هذا
السؤال

: The most common cause of nasal bleeding is

Trauma ☒

Hot weather .b ☐

Hypertension .c ☐

dry weather .d ☐

سؤال 5

غير مجاب عليه
بعد

الدرجة من 1.00

٣ عليم هذا
السؤال

: All of the followings are characteristics of arterial bleeding except

large amount of blood loss .a ☐

bright red .b ☐

oozing .c ☒

copious .d ☐

spurting .e ☐

سؤال 6

غير محاب عليه
بعد

الدرجة من 1.00

٣ عليم هذا
السؤال

: All of the followings are types of external bleeding except

- a. ☐ Lacerations
- b. ☐ Hematoma or bruises
- c. ☐ Abrasions
- d. ☒ Intra abdominal bleeding
- e. ☐ Gunshot

سؤال 7

غير محاب عليه
نقد

الدرجة من 1.00

٣ علم هذا
السؤال

: All of the following is true except

- Stopping nasal bleeding by direct pressure over the nasal bridge and elevating head of the patient .a ☒
- dont put cold compressors more then 10 minutes in the wounds .b ☐
- Most common cause of nasal bleeding is trauma .c ☐
- direct pressure is the first step in treating bleeding .d ☐
- Wrap ambutated organ by dry dressing .e ☐

الكويز الثاني لمادة الاسعافات الأولية

إختبار



العودة

: About embedded wounds, which is true

- a. ☐ remove the embedded object
- b. ☐ Dont Monitor and record vital signs
- c. ☒ Restrict movement of injured area
- d. ☐ Dont Elevate wound
- e. ☐ Dont Call ambulance

سؤال 9

غير مجاب عليه
بعد

الدرجة من 1.00

٣ عليم هذا
السؤال

All of the following are true regarding bleeding except

- Intra abdominal bleeding is an example of internal bleeding .a ☐
- Internal bleeding is more dangerous than external bleeding .b ☐
- lacerations are superficial linear incisions .c ☐
- bruises are bluish discoloration of the skin , and are types of internal bleeding ~~.d ☒~~
- Bleeding is an extravasation of blood .e ☐