

The best anti-septic material that used to
: clean wound is

All choices can be used as anti-
septic material in opened wound .a ☐

Hydrogen peroxide .b ☐

Water .c ☒

alcohol .d ☐

Iodine .e ☐

الإجابة الصحيحة هي:

Water

In suspected cervical spine injury, the safest way to open the airway is

a. None of the above .a ☐

a. Jaw Thrust .b ☒

a. Recovery position .c ☐

a. Head tilt-chin lift .d ☐

الإجابة الصحيحة هي:

a. Jaw Thrust

All of the followings are true regarding the
: priorities of first aid except

- a ☐ Save the young before the old
- b ☐ Do not jeopardize your own life while rendering First Aid
- c ☒ One of your aims is to return life for the victim
- d ☐ Save the conscious casualties before the unconscious ones

الإجابة الصحيحة هي:

One of your aims is to return life for the
victim

All of the followings are signs and symptoms
: of Respiratory Distress Except

Tachycardia .a ☒

Tachypnea .b ☐

retraction of intercostal muscle .c ☐

Flaring of ala nasi .d ☐

Cyanosis .e ☐

الإجابة الصحيحة هي:

Tachycardia

All of the followings are true regarding first aid except

- a ☐ Provide appropriate first aid treatment as trained
- b ☐ You do not leave the casualty until someone with the same skills takes your place or when the place becomes so dangerous
- c ☒ provide care beyond your skills level
- d ☐ act in a good faith

الإجابة الصحيحة هي:
provide care beyond your skills level

Infant with choking , all of the followings
: can be done except

abdominal thrust is by two fingers .a ☐

abdominal thrust 5 .b ☐

encourage the infant to cough .c ☒

blows 5 .d ☐

الإجابة الصحيحة هي:

encourage the infant to cough

All are signs and symptoms of shock , except :

Deteriorating level of consciousness .a ☐

Rapid, shallow breathing .b ☐

Feeling thirsty .c ☐

Pale, cool, sweaty skin .d ☐

Rapid or strong pulse .e ☒

الإجابة الصحيحة هي:

Rapid or strong pulse

Intra abdominal bleeding is a type of internal bleeding

إختبر واحداً:

صح ☒

خطأ ☐

الإجابة الصحيحة هي "صح"

All of the followings are false regarding the : amputated wounds except

- a. ☐ Scrub amputated part
- b. ☐ Cut any part even too small from the amputee part
- c. ☐ Decide whether a body part is salvageable or not
- d. ☒ Wrap amputated part in a dry dressing
- e. ☐ Put ice directly on the part

الإجابة الصحيحة هي:

Wrap amputated part in a dry dressing

All of the followings are goals of first aid
: except

Preserve life .a ☐

Promote recovery .b ☐

Call for help .c ☒

Prevent further injury .d ☐

الإجابة الصحيحة هي:
Call for help

which of the followings considered as a type of shock

a. ☒ all of the choices are types of shock

b. ☐ Hypovolemic shock

c. ☐ Cardiogenic shock

d. ☐ Burn

e. ☐ anaphylactic shock

الإجابة الصحيحة هي:

all of the choices are types of shock

As a first aider , you can do all of the
: followings, except

- a ☐ CPR
- b ☒ Prescribe Medicine
- c ☐ Breathing by ambu bag
- d ☐ inserting the oropharyngeal tube
- e ☐ mouth to mouth breathing

الإجابة الصحيحة هي:
Prescribe Medicine

which of the following describes the arterial
: bleeding

few amount .a ☐

dark red in color .b ☐

oozing .c ☐

spurting .d ☒

الإجابة الصحيحة هي:
spurting

According to DR ABC action plan all are correct Except

- a ☐ Only enter a situation if it is safe to do so. Because you are the most important person
- b ☐ To assess response gently "Shake and Shout" at the casualty
- c ☒ When to assess circulation, you feel radial pulse
- d ☐ V in AVPU scale means patient only responds to verbal stimuli

الإجابة الصحيحة هي: When to assess circulation, you feel radial pulse

all of the following are Signs of complete obstruction except

a. cyanosis ☐

b. Wheezing ☒

c. inability to speak ☐

d. signs and symptoms of respiratory distress ☐

الإجابة الصحيحة هي:

Wheezing

: About bleeding, all are false , Except

- a ☐ Shock is hyperperfusion of the tissues
- b ☒ Arterial bleeding is more copious than venous
- c ☐ Gunshot wounds are examples of internal bleeding
- d ☐ incisions are more superficial than lacerations

الإجابة الصحيحة هي:

Arterial bleeding is more copious than venous

All of the followings are true regarding
: choking, except

.a ☐ Give up to 5 blows between
the shoulder blades with the heel of
. your hand in adults

.b ☐ Encourage the victim to cough

.c ☒ cyanosis may present in partial
choking

.d ☐ Perform a total of 5 abdominal
thrusts

الإجابة الصحيحة هي:

cyanosis may present in partial choking

All of the followings are principles of first aid,
: except

- Preserve life .a ☒
- Check the scene & the casualty .b ☐
- Call for Help .c ☐
- Carefully apply FIRST AID .d ☐
- Calmly Take Charge .e ☐

الإجابة الصحيحة هي:
Preserve life

All of the followings are true regarding nasal
: bleeding, except

apply direct pressure on nasal bridge .a ☐
for 10 minutes

apply adrenaline to stop nasal .b ☒
bleeding

Trauma is th most common cause .c ☐
of nasal bleeding

the victim must be leaned forward .d ☐

الإجابة الصحيحة هي:

apply adrenaline to stop nasal bleeding

All of the followings are true regarding
: bleeding except

Constantly check for sings of shock .a ☐

You can put ice for less than 5 .b ☒
minutes

DO NOT bandage too tightly .c ☐

DO NOT remove the previous layer of .d ☐
bandage

DO NOT apply cold compress for .e ☐
more than 10 minutes

الإجابة الصحيحة هي:

You can put ice for less than 5 minutes